

## CORDLESS HEADPHONES [INFRA-RED]

Enjoy the experience of headphone listening without the bothersome restriction of being tied down with cables. The base unit plugs into any AV source via their headphone socket. The audio is then transmitted via Infrared up to 7M. The headset receives this signal and converts it back into audio for the listener. Two 'AAA' Alkalines are required for the headset. The transmitter comes with the required connections and power supply. Suitable for any audio mono version for either mono TV/video or other purposes such as conferencing, classrooms, etc. Spare foam pads HEP50.

**Mono** IR530 2X AAA Batteries Required

### EXTRA HEADSETS

For replacement purposes or for multiple reception from one transmitter.

**Mono** IR532 2X AAA Batteries Required

### EXTRA EARPADS

HEP50 for 1 pair.



## WIRELESS RECHARGEABLE HEADPHONES [433MHz FM]

The 433MHz stereo wireless headphone system uses the latest wireless technology that enables you to enjoy music or TV sound anywhere inside or outside! You can simply connect the system to any sound source such as a CD, DVD, PC, TV, VCR, HiFi or radio to get cable free listening. UHF-RF technology lets you roam freely around your home, etc. Operating distance up to 100 meters. No line of site limitations, goes through walls, etc. with excellent stability and sound quality. The headphone receiver uses two "AA" rechargeable batteries (included). When you return the headphones to the transmitter, simply plug in the charging lead from the built-in charging circuit in the base. The transmitter will autotomatic switch On/Off from signal input level. Includes Powerpack and RCA / Headphone plug connection leads. Large earpads for blocking external sound and increasing comfort.

RS430C

### EXTRA HEAD SETS

RS452

### EXTRA EARPADS

HEP452 for 1 pair.



## CORDLESS SPEAKERS [INFRA-RED]

Ideal for easy installation and total portability with no complicated or messy wiring. The speakers are both infrared receivers with active amplified 5" speakers. Operating distance is up to 10 meters or they can be directly connected with the supplied cables. Power is switched either manually or automatically by the transmitter. 4x"D"cells power each speaker unit, or optional power packs can be used (DCA500-12-N). The transmitter runs on the supplied 12VDC power pack and plugs into either RCA or 3.5mm stereo sockets. 100% portable cordless speaker system using ultra-high frequency transmission (2.3 & 2.8MHz) infrared technology giving remarkable quality sound from an attractive, compact and versatile package. Black in colour.

IS200



## WIRELESS AUDIO/VIDEO LINK

UHF 2.4GHz Radio technology stereo AV link. House-wide expandable system (Up to 4). Setup the transmitter near your entertainment equipment and the receiver anywhere within about 100M to broadcast crystal clear video. Each kit includes a transmitter & receiver set. IR sender lets use your remote control.

**TX/RX KIT - with Remote Control sender**  
TR2470 pair.

**TX/RX KIT - Foxtel Digital Compatible**  
TR2470-40 .

See Section 20 for details and more items...

**2.4GHz Wireless**

**New Compact Casing. Includes leads and power**

**EASY TO SETUP**

**RCA or S-Video**

**Watch FOXTEL In your Bedroom!**

**Built-In Remote Control Sender**

**NEW! & Improved**

**Send - DVD Video - CD Audio - Digital TV Crystal Clear Picture and in Stereo !**

## AMPLIFIED SPEAKERS- BATTERY OPERATED

### BATTERY PORTABLE SOUND FOR MP3 & IPOD

Designed for easy portability and will amplify portable CD's, Mini-Disc, iPod, etc.

2-Way; 60mmØ driver & 35mm tweeter, DXBB bass boost & treble boost switch.

Requires batteries, not included.

Portable with 4 x 'C' size batteries or one power pack (both optional).

2.5W x2. 185mm high. Black/Grey.

Size 185H x 100D x 80Wmm  
LX18

Battery Operated

Requires 4x "C" or a Power Pack



### POWERPACK TO SUIT DCA500-12P

## COMPACT PC ACTIVE SPEAKERS

Super Price!

### DIRECT 240Vac POWERED

3.5mm stereo plug for use with CD, MD iPod, PC, etc. Power On/Off & Volume.

### 120W CDSONIC

Beige. 180x75x110mm. SPK693

### WITH HEADPHONE SOCKET

Blue cloth. 95x195x165mm. SPK968

### USB POWERED

Requires sound card, but not power (USB).

85x196x40mm. USB107



## PC SPEAKERS ACTIVE

### XXX SERIES 140W PAIR

Shadow-XXX Series

Attractive modern styling. Beige plastic casing with dark grey cloth grills.

Direct 240VAC power plug.

3.5mm stereo plug for use with CD, MD, iPod or PC. (2Wrms) 100Hz → 20KHz.

50x90mm oval full range shielded drivers for use near monitors, etc.

Power On/Off & Volume.

186x70x104mm.

Code XX118A

Cost



## PC SPEAKERS SATELLITES & SUB

### XXX SERIES 580W 2.1 CHANNEL

[www.tsunami.com.tw/s-shadow.htm](http://www.tsunami.com.tw/s-shadow.htm)

Attractive modern styling

Direct 240VAC power plug

3.5mm stereo plug for use

with CD, MD or PC. 580W PMPO

Woofer; 75mm Shielded 5Wrms

210x110x182mm. 50Hz → 20KHz.

Satellite; 50x90mm 5Wrms ea.

Dark grey plastic housing

with light grey material

covers, magnetic shielded.

162x65x80mm. Small foot print.

Volume control and 3D switch

for stereo-wide surround sound.

Code XX119AA

Cost



### 3" MINI-EXTENSION SPEAKER CUBES

Very compact 2-way 4Ω.  
50W 3" (76mm) 5oz.  
Barium-ferrite with super  
piezo tweeters. Supplied  
packaged, mounting hardware,  
cable and instructions.  
Compact size of only 90mm<sup>3</sup>.  
Available in Black or White.  
Ideal for trucks, vans, utes,  
and other space premium HiFi  
applications. Water resistant.

90mm<sup>3</sup>  
Compact  
50W



**Black**     APS302B  
              per pair

**White**     APS302W  
              per pair



**INDOOR**

**or**

**OUTDOOR**

### 3½" BOOKSHELF EXTENSION & OUTDOOR SPEAKER BOXES

Modern rounded styling. Very compact and attractive.  
This speaker is a very sturdy and built of high  
impact moulded plastic with a good finish of high  
quality giving excellent HiFi sound from such a  
compact speaker! Wedge design with metal grill,  
100Wmax 3½" 2way, suitable for many applications,  
from in the home to outside in the elements.  
4Ω or 8Ω input, stand-alone or bracket mount.  
Suitable for Vehicles, Boats, BBQ, Surround sound,  
HiFi extension, Wall mount, bookshelf, patio,  
Anywhere! SIZE = 190 x 130 x 110mm 1.3Kg each.  
8oz Strontium woofer & Neodymium Mylar tweeter.  
Front is ported for improved bass, so don't mount  
it in direct exposure to water. 55-22KHz 92dB/1w/1m.  
Black       SA500BA  
White      SA500WA  
              per pair.

**WATER  
RESISTANT**




**INDOOR FASHION  
OUTDOOR TOUGH**

**4" 2-Way  
200 x 130 x 130mm**

### 3½" PUBLIC-ADDRESS 100V LINE SPEAKERS

Same attractive modern speaker as the SA500 above  
with 8Ω inputs for a truly universal solution but  
also with an in-built PA 100V Line Transformer.  
When used with a compatible 100V Line power amp,  
very long cable runs are possible with minimum  
power loss and also multiple speakers can be  
attached to the same line. Available in white.  
See following pages for additional products.  
SA3100  
per pair.

**WATER  
RESISTANT**



**INDOOR FASHION  
OUTDOOR TOUGH**

**4" 2-Way  
200 x 130 x 130mm**

### 5¼" BOOKSHELF EXTENSION & OUTDOOR SPEAKER BOXES

Attractive design, modern curved appearance  
with quality sound. Suitable as replacement  
speakers for Midi systems and extension  
speakers for your HiFi unit or portable  
stereo. Also ideal for surround sound and  
general purpose PA in the office / workshop,  
etc. Place outside under eaves, on the patio,  
balcony, mount on your boat, truck, 4 wheel  
drive, a truly universal speaker for many  
applications! Moulded impact-resistant sealed  
enclosure. Removable grill. Brackets, wiring.  
127mm mica cone woofer, 20mm dome tweeter.  
Gold screw / 4mm terminals. 8Ω 100Wmax.  
240H x 178W x 140Dmm 50-22000Hz.  
Black       SA850BA  
White      SA850WA  
              per pair.

**WATER  
RESISTANT**



**INDOOR FASHION  
OUTDOOR TOUGH**

**5.25" 2-Way  
240 x 180 x 140mm**

## 5 1/4" BOOKSHELF EXTENSION & OUTDOOR SPEAKER BOXES

### 2-WAY 250W SATELLITE SPEAKER PAIR

Attractive modern designed box  
 Suitable for many applications  
 Talc reinforced polypropylene,  
 Water resistant cabinet with  
 rubber grommet seals and a  
 5 1/4" Hyper-Olefin Cone Woofer  
 1" Mylar Cone tweeter.  
 Dual ported design for  
 extended frequency response.

Power 250Wmax  
 Imp. 4ohms 90dB  
 FR 40Hz to 20KHz  
 Size 235x160x174mm  
**Black** BS515BK  
**White** BS515WH  
 (Pair)



## 6" BOOKSHELF EXTENSION & OUTDOOR SPEAKER BOXES

### 2-WAY 100W SATELLITE SPEAKER PAIR

Fully sealed Wedge box design  
 Suitable for many applications.  
 Talc reinforced polypropylene  
 cabinets with mounting brackets.  
 Steel speaker grill covers.  
 6 1/2" Hyper-Olefin Cone Woofer  
 1" polyprop' dome tweeter.  
 Mount in ceiling/wall corner  
 for extended smooth bass.

Power 100Wmax  
 Imp. 4ohms 91dB  
 FR 110Hz to 20KHz  
 Size 190x280x190mm  
**Black** ODS65BK  
**White** ODS65WH  
 (Pair)



## 8" BOOKSHELF EXTENSION & OUTDOOR SPEAKER BOXES

### 2-WAY 200W SATELLITE SPEAKER PAIR

Fully sealed Wedge box design  
 Suitable for many applications.  
 Talc reinforced polypropylene  
 cabinets with mounting brackets.  
 Steel speaker grill covers.  
 8" Hyper-Olefin Cone Woofer  
 1" polyprop' dome tweeter.  
 Mount in ceiling/wall corner  
 for extended smooth bass.

Power 200Wmax  
 Imp. 6ohms  
 FR 75Hz to 20KHz  
 Size 320x230x182mm  
**Black** SA980B  
**White** SA980W  
 (Pair)



## HDS/XLS SPEAKER SYSTEMS

### SUPPLIED IN EASY DIY FORM TO SAVE YOU \$\$\$

Audiophile high definition speaker systems. Custom designed for WES Components locally. Cabinet is Manufactured here with the finest materials and available with genuine wood veneers. Drivers are manufactured in Denmark for the highest standards in audio sound quality. Premium components from France used in a dedicated, pre-constructed, circuit board crossover. Save money as a kit set. Assembly requires a screw driver. Quick and easy. Truly faithful reproduction of music or home theatre. Available to you now at prices that are a fraction of the retail priced units of the same quality. All speakers are matched with our XLS Subwoofer Kits for seamless intergration and multi-chanel setups.

See end this section for details....

## AUDIOPHILE MONITORS



## SPEAKER BOX 10" PROFESSIONAL PA

### IMPULSE-10 2-WAY PORTABLE INSTRUMENT SPEAKER

Suits sound reinforcement applications with voice or instruments, etc. Designed for easy transporting. Rotomould black poly-fibre wedge cabinet with handle. Impact and weather resistant for on-road toughness. Built-in Tweeter Horn Flare. Long throw applications. Steel grill protects a 10" 200Wrms (400Wmax) IS10000. Heavy Duty Dai-ichi Cellulose Fibre Cone. Reinforced. Highly efficient horn tweeter, 1" Phenolic Diaphragm. 18dB/Octave High-Powered Manganese cored crossover. Thermal switch fuse for auto resetable protection. Professional "Speakon" Input Socket (See Sect 7). 200Wrms (400Wmax) 95dB 80Hz→20KHz 6Ω 370x485x330mm Mounting Pole-Cap for optional speaker stand. Optional speaker stand (STAND ).  
IMPULSE10



## 4" PATIO SPEAKER

### WIDE DISPERSION SPEAKER

*Sold in single pieces. 2 Required for Stereo*  
This unit is specifically designed to provide a wide dispersion angle for sound distribution. Comprises of a single floor firing 4" woofer and two opposing horizontal tweeters. Excellent for use in multi-media installations where a large audience is intended to be reached. Lecture halls, waiting rooms, restaurants, home theater, patios, under verandas, etc., etc. Compact & attractive white with metal grills. Dimensions: 280 x 160 x 150mm  
100W 6Ω 4" Woofer ½" Tweeter Pair  
Sold individually (Singles)  
Two required for stereo.  
SA950




## 6" WALL SPEAKER

### INDOOR MOUNT - LOW PROFILE

*Sold in single pieces. 2 required for stereo*  
Architecturally elegant curved style for modern decor. The low profile cabinet is of open-back design for flat against the wall mounting. Made from moulded ABS and fitted with powdercoated steel mesh grill. Comprises a 6 inch 10W coaxial 2 way speaker system paper pulp with foam surround for excellent sound. Ideal for high performance paging and music for home or commercial sound reproduction. Hang vertically or mounted horizontally.  
8 Ohm (Solder) or 100V Line transformer.  
Taps 1.25W / 2.5W / 5W / 10W  
Freq. 110Hz - 20kHz 93dB  
240L x 330W x 88Dmm 1.2Kgs  
PA4124

Mount Horizontally  
or Vertically



## DAI-1CHI CUBE SATELLITES

### 85mm Cubes with 3" Drivers 50W

Awesome installation solution with a Compact Attractive design  
So small they're almost invisible!

Match with a subwoofer for Surround sound systems or use as extension speakers, Sound distribution and Multi-media setups.

Excellent sound & response.  
Premium finish & sound.

Available in Single cube or Dual Swivel Pairs (Stereo) available in Black or White.



## LS3 SINGLE CUBE

### SOLD INDIVIDUALLY WITH SWIVEL BASE

Fully adjustable swivel design  
Removable Stand on base or on back  
Fully shielded for TVs & Monitors  
Optional Wall mount brackets included  
Single cube for center channel or buy multiples for an extended setup.  
(Two required for stereo, etc.)  
Single 3" driver with Dual-Cone (Wizzer Cone) for extended response.  
6 Ohms, 50 Watts, 90dB. 85mm<sup>3</sup>  
Frequency response 200Hz to 20KHz.  
Available in Black or White.  
Sold individually as singles.

**Black** LS3BK  
**White** LS3WH  
(each)



## LS32 DUAL CUBE PAIRS

### TOTAL OF FOUR CUBES ATTACHED IN PAIRS

Dual cubes attached together with Plus/Minus 60° Horizontal swivel  
For direct/reflective surround sound.  
Fully shielded for TVs & Monitors  
Optional Wall mount brackets included  
Sold in pairs for left/right sound  
buy multiples for an extended setup.  
Dual 3" drivers with Dual-Cones (Wizzer Cone) for extended response.  
6 Ohms, 100 Watts, 90dB. 85 x 85 x 170mm  
Frequency response 200Hz to 20KHz.  
Available in Black or White.  
Sold in pairs (4 Cubes Total).

**Black** LS32BK  
**White** LS32WH  
(pair)



## FLUSH MOUNT CEILING SPEAKERS

### COMPACT CUBES WITH RECESS HOLDER

Popular 3" Cubes from Dai-1chi are now available in this attractive solution.  
Speakers are positioned at a 45° angle for excellent sound dispersion from a ceiling cavity. Ideal for locating surround speakers as normal ceiling drivers that fire directly-down may not give the best localised sound.  
Expands on the impressive "Cube" Satellites from Dai-1chi (WN-32)  
6Ω 50Wnom 90dB 200Hz→20KHz  
Cube 85cm<sup>3</sup> mounted 45° 165mm Flange.  
3" Dual Cone Shielded. Steel Grill.

**White** LS3CMW  
**Black** LS3CMB



### SUPER-COMPACT 85mm<sup>3</sup>



### 5 1/4" IN-WALL / CEILING SPEAKERS SQUARE FRAME

Full HiFi Quality Speakers for mounting in a wall or ceiling cavity. Impressive construction with robust polypropylene woofers with high compliancy and power. Quality dome tweeters and a full 2 way crossover all mounted on a ridged, white plastic frame with a metal bracket & grill. Two sizes. Ideal for home/office music & PA applications. Surfaces can be painted. Push terminal inputs. Includes hardware and full mounting instructions. 5 1/4" 133mm Polypropylene cone. Butyl rubber surround. 1" Soft dome tweeter on a pivot. Shielded.

8Ω 70Watts 50Hz to 20KHz  
Hole 245 x 156mm  
O/D 270 x 182 x 82mm

Sold in pairs.  
SA250A  
per pair.



### 6 1/2" IN-WALL / CEILING SPEAKERS SQUARE FRAME

Full HiFi Quality Speakers for mounting in a wall or ceiling cavity. Impressive construction with robust polypropylene woofers with high compliancy and power. Quality dome tweeters and a full 2 way crossover all mounted on a ridged, white plastic frame with a metal bracket & grill. Two sizes. Ideal for home/office music & PA applications. Surfaces can be painted. Push terminal inputs. Includes hardware and full mounting instructions. 6 1/2" 165mm Polypropylene cone. Butyl rubber surround. 1" Soft dome tweeter on a pivot. Shielded.

8Ω 80Watts 50Hz to 20KHz  
Hole 272 x 188mm  
O/D 298 x 214 x 85mm

Sold in pairs.  
SA260A  
per pair.



### 8" IN-WALL / CEILING SPEAKERS SQUARE FRAME

Full HiFi Quality Speakers for mounting in a wall or ceiling cavity. Impressive construction with robust polypropylene woofers with high compliancy and power. Quality dome tweeters and a full 2 way crossover all mounted on a ridged, white plastic frame with a metal bracket & grill. Two sizes. Ideal for home/office music & PA applications. Surfaces can be painted. Push terminal inputs. Includes hardware and full mounting instructions. 8" 203mm Polypropylene cone. Butyl rubber surround. 1" Soft dome tweeter on a pivot. Shielded.

8Ω 120Watts 50Hz to 20KHz  
Hole 325 x 227mm  
O/D 350 x 253 x 102mm

Sold in pairs.  
SA280A  
per pair.



### IN-WALL / CEILING SPEAKERS RECTANGULAR FRAME

#### SOLD IN SINGLES

Intended as a CENTRE CHANNEL speaker solution in a DVD surround setup, however it can be used for all or any channel by simply mounting it vertically. Full HiFi Quality Speakers for mounting in a wall or ceiling cavity. Impressive construction with robust polypropylene woofers with high compliancy and power. Quality dome tweeters and a full 2 way crossover all mounted on a ridged, white plastic frame with a metal bracket & grill. Paintable. Easy installation. Fully shielded for near TV. 6" Poly' Woofer X2 With Dome Tweeter on a pivot. 8Ω 70 Watts 50-20KHz.

Hole 473 x 189mm  
O/D 511 x 217 x 80mm  
SA400CA



## 5" & 6½" & 8" IN-WALL / CEILING SPEAKERS ROUND FRAME

Full HiFi Quality Speakers, White for mounting in a wall or ceiling cavity. Robust polypropylene woofers with butyl rubber surround. Quality soft dome tweeter on an adjustable pivot for sound focusing. These versatile speakers are suitable for music, DVD theater, home or commercial installations. White plastic frame with a metal grill. Surfaces can be painted.

**5¼" 133mm & 1" tweeter.**  
8Ω 70W Hole = 175mmØ  
O/D = 82mm(d) x 205mmØ  
SA350A pair.

**Easy Install Design**  
8 to 33mm Thick Wall  
Swivel Tweeter Unit.  
Premium Sound Quality

**6½" 165mm & 1" Tweeter.**  
8Ω 80W Hole = 193mmØ  
O/D = 85mm(d) x 216mmØ  
SA360A pair.

**8" 238mm & 1" tweeter.**  
8Ω 120W Hole = 238mmØ  
O/D = 100mm(d) x 268mmØ  
SA380A pair.



## 6½" SINGLE-STEREO-SPEAKER

Unique system of twin tweeters gives a stereo sound from a single source driver. Increase spacial aura and sound enjoyment. Suitable for situations where only one speaker can be located, like hallways, bathrooms, entries, etc. Home or business. Full HiFi Quality Speakers, White for mounting in a wall or ceiling cavity. Robust polypropylene woofer with dual 8Ω voice coils. Premium grade neodymium 13mm dome tweeter pair mounted coaxially. Metal grill and surfaces can be painted. 6½" 8Ω 80Wmax (40Wx2) Stereo inputs. Hole 193mmØ O/D 85mm(d) x 216mmØ SA365



## FLUSH MOUNT CEILING SPEAKERS

### COMPACT CUBES WITH RECESS HOLDER

Popular 3" Cubes from Dai-1chi are now available in this attractive solution. Speakers are positioned at a 45° angle for excellent sound dispersion from a ceiling cavity. Ideal for locating surround speakers as normal ceiling drivers that fire directly-down may not give the best localised sound. Expands on the impressive "Cube" Satelites from Dai-1chi (WN-32) 6Ω 50Wnom 90dB 200Hz→20KHz Cube 85cm³ mounted 45° 165mm Flange. 3" Dual Cone Shielded. Steel Grill. White LS3CMW Black LS3CMB



## MARINE & OUTDOOR SPEAKERS

Tough robust speakers designed for resistance to corrosion in harsh conditions such as on boats, RV's or wherever a speaker requires to be weather resistant. These speakers are made from polypropylene and the frame, magnet and grill are encased in a tough "off white" plastic.

**6.5" (165mm) 2-WAY**  
60-22KHz  
80W max 4 ohm  
SA602  
Per Pair

**8" (203mm) 2-WAY**  
40-22KHz  
100W max 4 ohm  
SA802  
Per Pair

